

Choose the correct Answer

1.	One ninth =	A) $\frac{1}{6}$	B) $\frac{1}{7}$	C) $\frac{1}{8}$	D) $\frac{1}{9}$
2.	$\frac{8}{40} = \frac{2}{\dots\dots\dots}$	A) 1	B) 3	C) 10	D) 5
3.	$\frac{1}{7} < \dots\dots\dots$	A) $\frac{1}{11}$	B) $\frac{1}{8}$	C) $\frac{1}{5}$	D) $\frac{1}{7}$
4.	$\frac{3}{8} = \dots\dots\dots$	A) $\frac{1}{8} + \frac{5}{8}$	B) $\frac{16}{20}$	C) $1 - \frac{5}{8}$	D) $1 + \frac{5}{8}$
5.	Two Fifths =	A) $\frac{2}{5}$	B) $\frac{2}{7}$	C) $\frac{2}{9}$	D) $\frac{2}{3}$
6.	$\frac{9}{27} = \frac{3}{\dots\dots\dots}$	A) 1	B) 3	C) 9	D) 5
7.	$\frac{4}{5} - \frac{2}{5} = \dots\dots\dots$	A) $\frac{1}{5}$	B) $\frac{2}{5}$	C) $\frac{3}{5}$	D) $\frac{4}{5}$
8.	$\frac{4}{9} = \dots\dots\dots$	A) $\frac{1}{9} + \frac{7}{9}$	B) $\frac{16}{20}$	C) $1 - \frac{5}{9}$	D) $1 + \frac{4}{9}$
9.	Two ninths =	A) $\frac{2}{5}$	B) $\frac{2}{7}$	C) $\frac{2}{9}$	D) $\frac{2}{3}$
10.	Half =	A) $\frac{1}{2}$	B) $\frac{1}{3}$	C) $\frac{1}{4}$	D) $\frac{1}{5}$
11.	$\frac{1}{2} = \frac{6}{\dots\dots\dots}$	A) 6	B) 8	C) 10	D) 12

12.	$\frac{1}{5}$ $\frac{1}{4}$ A) < B) > C) = D) otherwise
13.	$\frac{3}{9} + \frac{2}{9} =$ A) $\frac{2}{9}$ B) $\frac{4}{9}$ C) $\frac{5}{9}$ D) $\frac{2}{9}$
14.	Two thirds = A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{2}{3}$ D) $\frac{1}{5}$
15.	$\frac{5}{7} = \frac{15}{\text{.....}}$ A) 14 B) 21 C) 28 D) 35
16.	$\frac{1}{6}$ $\frac{1}{5}$ A) < B) > C) = D) otherwise
17.	$\frac{2}{9} + \frac{7}{9} =$ A) $\frac{2}{9}$ B) $\frac{4}{9}$ C) $\frac{5}{9}$ D) $\frac{9}{9}$ or 1
18.	One fourth = A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{1}{4}$ D) $\frac{1}{5}$
19.	$\frac{5}{7} = \frac{25}{\text{.....}}$ A) 14 B) 21 C) 28 D) 35
20.	$\frac{1}{3}$ $\frac{1}{5}$ A) < B) > C) = D) otherwise
21.	$\frac{2}{7} + \text{.....} = \frac{5}{7}$ A) $\frac{5}{9}$ B) $\frac{3}{7}$ C) $\frac{1}{5}$ D) $\frac{1}{3}$
22.	Three fourths = A) $\frac{3}{4}$ B) $\frac{1}{3}$ C) $\frac{1}{4}$ D) $\frac{1}{5}$
23.	$\frac{3}{4} = \frac{\text{.....}}{12}$ A) 6 B) 9 C) 12 D) 15

24.	$(\frac{7}{9} - \frac{2}{9}) + \frac{2}{9} =$	A) $\frac{5}{9}$	B) $\frac{7}{9}$	C) $\frac{8}{9}$	D) 1
25.	$\frac{2}{7} + \frac{5}{7} =$	A) $\frac{5}{9}$	B) $\frac{7}{9}$	C) 1	D) $\frac{8}{9}$
26.	$\frac{1}{2}$ $\frac{4}{7}$	A) <	B) >	C) =	D) otherwise
27.	$1\frac{1}{2} =$ As an improper fraction	A) $\frac{3}{2}$	B) $\frac{5}{2}$	C) $\frac{7}{2}$	D) $\frac{9}{2}$
28.	$\frac{17}{5} =$ As mixed number	A) $4\frac{1}{2}$	B) $5\frac{1}{3}$	C) $3\frac{2}{5}$	D) $4\frac{3}{5}$
29.	$(\frac{4}{9} - \frac{2}{9}) + \frac{3}{9} =$	A) $\frac{5}{9}$	B) $\frac{7}{9}$	C) $\frac{8}{9}$	D) 1
30.	$\frac{1}{2}$ $\frac{2}{3}$	A) <	B) >	C) =	D) otherwise
31.	$2\frac{1}{2} =$ As an improper fraction	A) $\frac{3}{2}$	B) $\frac{5}{2}$	C) $\frac{7}{2}$	D) $\frac{9}{2}$
32.	$\frac{17}{3}$ $5\frac{1}{3}$	A) <	B) >	C) =	D) otherwise
33.	$\frac{1}{2}$ $\frac{3}{4}$	A) <	B) >	C) =	D) otherwise
34.	$4\frac{1}{2} =$ As an improper fraction	A) $\frac{3}{2}$	B) $\frac{5}{2}$	C) $\frac{7}{2}$	D) $\frac{9}{2}$

35.	$\frac{9}{2} =$ As mixed number A) $4\frac{1}{2}$ B) $5\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
36.	$\frac{3}{4} - \frac{1}{8} =$ (in the simplest form) A) $\frac{1}{2}$ B) $\frac{3}{8}$ C) $\frac{3}{4}$ D) $\frac{5}{8}$
37.	$3\frac{1}{3} + 2\frac{5}{12} =$ A) $5\frac{7}{21}$ B) $5\frac{3}{14}$ C) $5\frac{3}{4}$ D) $5\frac{11}{18}$
38.	$\frac{16}{3} =$ As mixed number A) $4\frac{1}{2}$ B) $5\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
39.	$(\frac{7}{9} - \frac{2}{9}) + \frac{4}{9} =$ A) $\frac{5}{9}$ B) $\frac{7}{9}$ C) $\frac{8}{9}$ D) 1
40.	$4\frac{5}{6} + 3\frac{1}{18} =$ A) $7\frac{7}{21}$ B) $7\frac{3}{14}$ C) $7\frac{5}{12}$ D) $7\frac{8}{9}$
41.	$\frac{32}{6} =$ As mixed number A) $4\frac{1}{2}$ B) $5\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
42.	$(\frac{7}{9} - \frac{2}{9}) + \frac{3}{9} =$ A) $\frac{5}{9}$ B) $\frac{7}{9}$ C) $\frac{8}{9}$ D) 1
43.	$\frac{1}{2}$ $\frac{2}{5}$ A) < B) > C) = D) otherwise
44.	$\frac{23}{5} =$ As mixed number A) $4\frac{1}{2}$ B) $5\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$

45.	$\frac{7}{10} + \frac{1}{5} =$	A) $\frac{7}{10}$	B) $\frac{3}{10}$	C) $\frac{9}{10}$	D) 1
46.	$\frac{2}{7} + \frac{5}{7}$ $\frac{5}{3} - \frac{2}{3}$	A) <	B) >	C) =	D) otherwise
47.	$2\frac{5}{6} =$ As an improper fraction	A) $\frac{38}{5}$	B) $\frac{19}{6}$	C) $\frac{17}{6}$	D) $\frac{25}{6}$
48.	$\frac{23}{100} =$	A) 0.15	B) 0.23	C) 0.48	D) 0.79
49.	$14\frac{23}{100} =$	A) 0.15	B) 14.23	C) 0.48	D) 0.79
50.	The place value of digit 5 in the number 9.456 =	A) Tenth	B) Hundredth	C) Thousandth	D) Units
51.	Seventeen and five tenths =	A) 7.5	B) 7.05	C) 7.005	D) 17.5
52.	$\frac{591}{10} =$	A) 15.9	B) 95.1	C) 59.1	D) 19.5
53.	$\frac{48}{100} =$	A) 0.15	B) 0.23	C) 0.48	D) 0.79
54.	$32\frac{48}{100} =$	A) 0.15	B) 0.23	C) 32.48	D) 0.79
55.	The place value of digit 6 in the number 9.456 =	A) Tenth	B) Hundredth	C) Thousandth	D) Units
56.	Three and eight tenths =	A) 3.8	B) 3.08	C) 3.008	D) 13.8
57.	$\frac{195}{10} =$	A) 15.9	B) 95.1	C) 59.1	D) 19.5
58.	9.25 9.3	A) <	B) >	C) =	D) otherwise

59.	$\frac{79}{100} =$	A) 0.15	B) 0.23	C) 0.48	D) 0.79
60.	$16\frac{79}{100} =$	A) 0.15	B) 0.23	C) 0.48	D) 16.79
61.	Three and eight hundredth =	A) 3.8	B) 3.08	C) 3.008	D) 13.8
62.	$\frac{726}{100} =$	A) 15.9	B) 95.1	C) 59.1	D) 19.5
63.	$\frac{19}{1000} =$	A) 0.019	B) 0.047	C) 0.058	D) 0.069
64.	$23\frac{19}{1000} =$	A) 23.019	B) 0.047	C) 0.058	D) 0.069
65.	The place value of digit 0 in the number 8.0719 =	A) Tenths	B) Hundredths	C) Thousandths	D) Units
66.	Three and eight thousandths =	A) 3.8	B) 3.08	C) 3.008	D) 13.8
67.	$\frac{726}{100} =$	A) 7.26	B) 7.62	C) 2.67	D) 2.76
68.	$\frac{47}{1000} =$	A) 0.019	B) 0.047	C) 0.058	D) 0.069
69.	$9\frac{47}{1000} =$	A) 0.019	B) 9.047	C) 0.058	D) 0.069
70.	The place value of digit 7 in the number 8.0719 =	A) Tenths	B) Hundredths	C) Thousandths	D) Units
71.	Fifteen and eight tenths =	A) 3.8	B) 3.08	C) 3.008	D) 15.8
72.	$\frac{762}{100} =$	A) 7.26	B) 7.62	C) 2.67	D) 2.76

73.	$\frac{58}{1000} = \dots\dots\dots$ A) 0.019 B) 0.047 C) 0.058 D) 0.069
74.	$26\frac{357}{1000} = \dots\dots\dots$ A) 0.135 B) 0.246 C) 0.159 D) 26.357
75.	The Units digit in 7925.146 is A) 1 B) 4 C) 6 D) 5
76.	$3.7 = 3 + \dots\dots\dots$ A) 7 B) 0.7 C) 0.07 D) 0.007
77.	$\frac{1}{10} = \dots\dots\dots$ A) 0.1 B) 0.2 C) 0.3 D) 0.4
78.	$\frac{1}{5} = \dots\dots\dots$ (as a decimal) A) 0.5 B) 0.25 C) 0.2 D) 0.75
79.	$8\frac{1}{4} = \dots\dots\dots$ (as a decimal) A) 8.5 B) 8.25 C) 8.2 D) 8.75
80.	$7\frac{3}{4} = \dots\dots\dots$ (as a decimal) A) 7.5 B) 7.25 C) 7.2 D) 7.75
81.	$\frac{3}{5} = \dots\dots\dots$ (as a decimal) A) 0.2 B) 0.4 C) 0.6 D) 0.8
82.	$25\frac{2}{5} = \dots\dots\dots$ (as a decimal) A) 25.2 B) 25.4 C) 25.6 D) 25.8
83.	$\frac{4}{25} = \dots\dots\dots$ (as a decimal) A) 0.16 B) 0.28 C) 0.36 D) 0.48
84.	$\frac{12}{25} = \dots\dots\dots$ (as a decimal) A) 0.16 B) 0.28 C) 0.36 D) 0.48
85.	$\frac{3}{25} = \dots\dots\dots$ (as a decimal) A) 0.04 B) 0.08 C) 0.12 D) 0.44
86.	$7.125 \dots\dots\dots 7.4$ A) < B) > C) = D) otherwise

87.	$\frac{9}{30} = \dots\dots\dots$ A) 0.7 B) 0.3 C) 0.9 D) 0.1
88.	$3.2 = 3 \frac{\dots\dots\dots}{5}$ A) 1 B) 2 C) 3 D) 4
89.	$8.8 = 8 \frac{\dots\dots\dots}{5}$ A) 1 B) 2 C) 3 D) 4
90.	$26.35 \dots\dots\dots 26.124$ A) < B) > C) = D) otherwise
91.	$17.25 \dots\dots\dots 12.173$ A) < B) > C) = D) otherwise
92.	2 hundredth $\dots\dots\dots$ 2 thousandth A) < B) > C) = D) otherwise
93.	$1.75 \dots\dots\dots 1\frac{3}{4}$ A) < B) > C) = D) otherwise
94.	$\frac{3}{4} = \dots\dots\dots$ (as a decimal) A) 0.5 B) 0.25 C) 0.2 D) 0.75
95.	$\frac{1}{5} = \dots\dots\dots$ (as a decimal) A) 0.2 B) 0.4 C) 0.6 D) 0.8
96.	$\frac{4}{5} = \dots\dots\dots$ (as a decimal) A) 0.2 B) 0.4 C) 0.6 D) 0.8
97.	$37\frac{3}{5} = \dots\dots\dots$ (as a decimal) A) 37.2 B) 37.4 C) 37.6 D) 37.8
98.	$\frac{7}{25} = \dots\dots\dots$ (as a decimal) A) 0.16 B) 0.28 C) 0.36 D) 0.48
99.	Which of the following fractions are in an ascending order? A) $\frac{1}{5}, \frac{1}{3}, \frac{1}{2}$ B) $\frac{2}{7}, \frac{5}{7}, \frac{3}{7}$ C) $\frac{5}{9}, \frac{4}{9}, \frac{3}{9}$ D) $\frac{1}{6}, \frac{2}{3}, \frac{5}{12}$

Choose the correct answer :

1. The value of the digit 7 in the number 0.375 is
(70 **or** 7 **or** 0.7 **or** 0.07)
2. $\frac{17}{5} = \dots\dots\dots$
($2\frac{3}{5}$ **or** $2\frac{4}{5}$ **or** $3\frac{1}{5}$ **or** $3\frac{2}{5}$)
3. The number that included between 0.64 and 0.65 is
(0.655 **or** 0.645 **or** 0.635 **or** 0.625)
4. $\frac{7}{20} \dots\dots\dots \frac{17}{20}$
(> **or** = **or** < **or** \approx)
5. $3\frac{5}{100} = \dots\dots\dots$
(3.05 **or** 3.5 **or** 5.3 **or** 5.3)
6. $\frac{1}{3} + \frac{2}{3} = \dots\dots\dots$
($\frac{1}{3}$ **or** $\frac{2}{3}$ **or** $\frac{3}{6}$ **or** 1)
7. $\frac{4}{10} + 0.6 = \dots\dots\dots$
(4.6 **or** 6.4 **or** 1 **or** 0.1)
8. The value of the digit 8 in the number 0.486 is
(8 **or** 0.8 **or** 0.08 **or** 80)
9. The number is included between 0.37 and 0.38
(0.385 **or** 0.375 **or** 0.347 **or** 0.357)
10. $96.43 \square 9\frac{648}{1000}$
(> **or** < **or** = **or** \approx)
11. $\frac{15}{25} = \dots\dots\dots$
($\frac{1}{3}$ **or** $\frac{2}{5}$ **or** $\frac{3}{5}$ **or** $\frac{5}{3}$)
12. $4.2 \square 4.20$
(> **or** < **or** = **or** otherwise)
13. $9\frac{7}{10} = \dots\dots\dots$
(9.07 **or** 9.7 **or** 9.007 **or** 7.09)
14. The value of the digit 4 in the number 0.241 is
(0.04 **or** 0.4 **or** 4 **or** 40)
15. $7\frac{1}{3} = \dots\dots\dots$
($\frac{3}{22}$ **or** $\frac{8}{3}$ **or** $\frac{10}{3}$ **or** $\frac{22}{3}$)

16. The number that included between 0.730 and 0.744 is
(0.745 **or** 0.755 **or** 0.735 **or** 0.725)
17. $\frac{1}{4} + \frac{3}{4} = \dots\dots\dots$ ($\frac{1}{4}$ **or** $\frac{1}{2}$ **or** 1)
18. The value of the digit 3 in the number 0.315 is
سلسلة الطيب طيب التعليمية (30 **or** 3 **or** 0.3)
19. $\frac{2}{3} \dots\dots\dots \frac{3}{2}$ (> **or** < **or** =)
20. $6\frac{3}{10} = \dots\dots\dots$ (6.3 **or** 6.03 **or** 6.5 **or** 6.1)
سلسلة الطيب طيب التعليمية
21. The place value of the digit 7 in the number 503.723 is
(tens **or** tenths **or** hundredths **or** units)
22. 9.06 9.5 (> **or** < **or** = **or** something else)
23. Six hundred twenty four and three tenths =
(246.3 **or** 624.3 **or** 264.3 **or** 462.3)
24. $\frac{3}{5} + \frac{1}{5} = \dots\dots\dots$ ($\frac{4}{10}$ **or** $\frac{4}{25}$ **or** $\frac{13}{10}$ **or** $\frac{4}{5}$)
25. $\frac{5}{6}$ $\frac{1}{6}$ (> **or** < **or** = **or** otherwise)
سلسلة الطيب طيب التعليمية
26. The value of digit (3) in the number 2.35 is
(0.3 **or** 3 **or** 0.03 **or** 0.003)
27. 0.5 + = 1 (0.7 **or** 0.5 **or** 0.3 **or** 0.2)
سلسلة الطيب طيب التعليمية
28. 5.6 5.68 (> **or** < **or** = **or** otherwise)
29. $4\frac{3}{100} = \dots\dots\dots$ (4.03 **or** 4.3 **or** 4.003 **or** 43)
30. 0.003 + 0.06 + 8 = (0.368 **or** 0.863 **or** 8.63 **or** 8.063)

31. Thirty-five and six tenths =
(35.06 or $35\frac{6}{10}$ or 356 or $35\frac{6}{100}$)
32. The value of 9 in 28.59 = (0.9 or 9.9 or 0.09 or 0.009)
33. $\frac{1}{3} + \frac{1}{5} = \dots\dots\dots$ ($\frac{1}{4}$ or $\frac{2}{15}$ or $\frac{1}{8}$ or $\frac{8}{15}$)
34. The decimal number that lies between 0.35 and 0.4 is
(0.5 or 0.2 or 0.39 or 0.45)
35. The value of the digit 8 in the number 0.382 is
(80 or 8 or 0.8 or 0.08)
36. $9\frac{7}{10} = \dots\dots\dots$ (9.07 or 9.7 or 9.007 or 7.09)
37. The number lies between 0.1 and 0.2
(1.5 or 0.5 or 0.13 or 0.05)
38. The value of the digit 3 in the number 1.235 is
(0.003 or 0.03 or 0.3 or 3)
39. Thirty five tenths = (35 or 0.35 or 3.5 or 0.035)
40. The value of 3 in the number 2.3 is
(0.3 or 0.003 or 3 or 0.03)
41. + 0.6 = 1 (0.6 or 0.2 or 0.4 or 0.3)
42. 2.09 2.1 (< or > or =)
43. $2\frac{1}{5} = \dots\dots\dots$ (as an improper fraction) ($\frac{10}{5}$ or $\frac{11}{5}$ or 11 or $\frac{8}{5}$)
44. $3\frac{8}{100} = \dots\dots\dots$ (as a decimal number) (3.8 or 3.08 or 0.008 or 38)
45. $\frac{8}{9} = \frac{48}{\dots\dots\dots}$ (27 or 72 or 45 or 54)

46. The number included between 0.367 and 0.38 is
(0.385 or 0.375 or 0.347 or 0.357)
47. The value of the digit 5 in the number 0.957 is
(0.05 or 0.5 or 5 or 50)
48. $4\frac{1}{3} = \dots\dots\dots$ (as an improper fraction) ($\frac{13}{3}$ or $\frac{12}{3}$ or 403 or 4.03)
49. Five fourths =
(4.5 or $\frac{4}{5}$ or 1 or $\frac{5}{4}$)
50. $\frac{2}{3} = \frac{\dots\dots\dots}{6}$ (4 or 6 or 8)
51. The place value of the digit 6 in 92.56 is
(units or hundredth or thousands)
52. $2\frac{1}{3} = \frac{\dots\dots\dots}{\dots\dots\dots}$ (as an improper fraction) ($\frac{7}{3}$ or $\frac{2}{3}$ or $\frac{1}{2}$)
53. $\frac{3}{9} - \frac{2}{9} = \dots\dots\dots$ ($\frac{5}{9}$ or $\frac{3}{9}$ or $\frac{1}{9}$)
54. $7 = \frac{\dots\dots\dots}{10}$ (7 or 10 or 70)
55. $\frac{5}{6} \square \frac{2}{3}$ (> or < or =)
56. $7\frac{3}{5} = \dots\dots\dots$ (7.6 or 6.3 or 7.5)
57. $0.3 + 60 + 7 + 0.08 = \dots\dots\dots$
(0.3678 or 67.83 or 67.38 or 0.08637)
58. $\frac{8}{9} \square \frac{9}{10}$ (< or > or = or \geq)
59. $\frac{2}{5} + \frac{3}{7} = \dots\dots\dots$ ($\frac{5}{12}$ or $\frac{29}{35}$ or $\frac{6}{35}$ or $\frac{23}{57}$)
60. $4\frac{7}{50} = \dots\dots\dots$ (4.123 or 4.14 or 4.25 or 6.2)
61. The denominator of the fraction $\frac{3}{7}$ is (3 or 7 or 10)
62. $\frac{9}{8}$ is fraction. (complete with : a proper or an improper)

March Revision 2021

Prim 4

Choose the Correct answer

Eng: Asmaa
Omar
012 12 644315

① 45 tenths = سلسلة الطيب طيب التعليمية

(4.5 or 0.45 or 450 or 4.05)

② 45 hundredths = سلسلة الطيب طيب التعليمية

4.5 or 0.45 or 0.45 or 4.05
سلسلة الطيب طيب التعليمية

③ 45 thousandth = سلسلة الطيب طيب التعليمية

(450 or 0.045 or 0.450 or 0.45)

④ Fifteen hundredths = سلسلة الطيب طيب التعليمية

(0.15 or 1.5 or 0.150 or 0.015)

⑤ Fifteen tenths =

(0.15 or 1.5 or 0.015 or 150)

6 $5 \frac{3}{100} = \dots\dots\dots$

(5.3 or 5.03 or 5.30 or 5.003

7 $3.017 = 3 \frac{17}{1000}$ سلسلة الطيب طيب التعليمية

($\frac{17}{10}$ or $\frac{17}{100}$ or $\frac{17}{1000}$ or $\frac{7}{1}$)

سلسلة الطيب طيب التعليمية

8 Five hundred, fifty and Five thousandths

(5.505 or 550.005 or 550.500) سلسلة الطيب طيب التعليمية

9 The place value of 5 in the number 12.358 is $\dots\dots\dots$ سلسلة الطيب طيب التعليمية

(tenths or Hundredths or tens or hundreds) سلسلة الطيب طيب التعليمية

10 one hundred twenty five and seven Thousandths

(125.700 or 125.007 or 125.07)

Eng : Asmaa Omar

01212644315

11] Forty-four and four thousandths
(44.04 or 44.004 or 4.404)

12] eleven thousandths

(0.11 or 0.011 or 1.11 or 1.1)

13] $7 - \frac{1}{7} = \dots\dots\dots$

($6\frac{6}{7}$ or $\frac{6}{7}$ $5\frac{6}{7}$ $\frac{7}{7}$)

14] Six sevenths = $\dots\dots\dots$

($\frac{6}{7}$ or $\frac{7}{6}$ or $\frac{6}{6}$ or $\frac{7}{7}$)

15] $\frac{5}{6} = \dots\dots\dots$

($\frac{20}{30}$ or $\frac{10}{18}$ or $\frac{35}{42}$)

Eng : Asmaa Omar
01212 644315

16 $\frac{7}{9}$ \square $\frac{5}{9}$

(> or = or <)

17 $\frac{5}{7} + \frac{2}{7} = \dots$

($\frac{3}{3}$ or $\frac{7}{14}$ or $\frac{3}{7}$ or $\frac{1}{7}$)

18 $\frac{3}{4} + \text{one quarter} =$

($\frac{5}{5}$ or $\frac{2}{4}$ or $\frac{4}{8}$)

19 $2 \frac{1}{7}$ as an improper fraction = \dots

($\frac{7}{15}$ or $\frac{15}{7}$ or $\frac{14}{7}$)

Eng : Asmaa Omar
01212 644 315

[20] $9\frac{6}{7}$ as an improper Fraction = ----

($\frac{69}{7}$ or $\frac{7}{69}$ or $\frac{63}{7}$)

سلسلة الطيب طيب التعليمية

[21] $\frac{7}{2}$ as mixed number = ----

($3\frac{1}{2}$ or $1\frac{5}{2}$ or $1\frac{2}{5}$)

سلسلة الطيب طيب التعليمية

[22] 19 quarters = ----

($\frac{19}{4}$ or $4\frac{3}{4}$)

[23] 16 quarters = ----

($4\frac{4}{3}$ or 4 or $3\frac{16}{4}$)

[24] $2\frac{1}{3}$ = ----

(5 thirds or 6 thirds or 7 thirds)

Eng: Asmaa Omar

[25] $3 \frac{1}{4} = \dots$

(13 quarters or 12 quarters or 7 quarters)

سلسلة الطيب طيب التعليمية

[26] $0.5 + \dots = \text{whole one}$

(0.7 or 0.3 or 0.5)

سلسلة الطيب طيب التعليمية

[27] $\frac{4}{10} = \frac{\dots}{100}$

سلسلة الطيب طيب التعليمية

(40 or 400 or 4000)

[28] 7 tenths + 4 units =

(4.7 or 7.4 or 4.7 or 4.007)

Eng: Asmaa Omar
01212 644 315

[29] 7 hundredths + 3 tenths =

(3.7 or 3.07 or 0.37 or 7.3)

[30] Six thousandths + 3 units + 4 tens = -----

(0.346 or 43.006 or 6.340)

[31] 0.1 + 0.2 + ----- = 1

(0.4 or 0.7 or 0.5)

[32] $\frac{14}{2000} = \text{-----}$

(0.007 or 0.07 or 0.014)

[33] $\frac{6}{7}$ $\frac{5}{6}$

(> or = or <)

Eng: Asmaa omar

01212644315

34] The value of the digit 3 in the number 614.837 is - - - - -
(30 or 0.3 or 0.03 or 0.003)

سلسلة الطيب طيب التعليمية
35] The value of the digit 6 in the number 6.245 is - - - - -
سلسلة الطيب طيب التعليمية

(6 or $\frac{6}{10}$ or 6 hundredths)
سلسلة الطيب طيب التعليمية

36] The value of the digit 2 in The number 6.245 is - - - - -
سلسلة الطيب طيب التعليمية
(2 or $\frac{2}{10}$ or 2 hundredths)
سلسلة الطيب طيب التعليمية

37] The value of the digit 4 in the number 6.245 is - - - - -
(4 or $\frac{4}{10}$ or 4 hundredths)
Eng: Asmaa omar 01212644315

[38] $23.9 = 0.9 + 3 + \dots$
 (2 or 20 or 200)

[39] $65.27 = 0.2 + 5 + 60 + \dots$
 (0.07 or 0.7 or 0.007)

[40] $60.03 = 0.03 + \dots$
 (0.6 or 60 or 600 or 6)

سلسلة الطيب طيب التعليمية

[41] $0.3 + 0.03 = \dots$
 (0.33 or 0.33)

[42] $4 + 0.004 = \dots$
 (0.404 or 4.004 or 4.04)

[43] $50.1 \quad \boxed{} \quad 49.99$

(> or < or =)

Eng: Asmaa Omar

01212644315

[44] 4 hundreds and 4 tenths \square 30.04
 ($>$ or $<$ or $=$)

[45] 1 \square 0.999

($>$ or $<$ or $=$)
 سلسلة الطيب طيب التعليمية

[46] $7\frac{1}{2}$ \square $7\frac{1}{2}$

سلسلة الطيب طيب التعليمية

($>$ or $<$ or $=$)

[47] 9.06 \square 9.5

($>$ or $<$ or $=$)
 سلسلة الطيب طيب التعليمية

[48] $0.04 + 4 + 0.4 = \dots$

(4.08 or 4.008 or 4.44)

Eng: Asmaa Omar

01212644 315

[49] $25.8 = 5 + 0.8 + \dots$
 (20 or 2 or 200)

[50] Two Fifths = \dots

($\frac{2}{5}$ or $\frac{5}{2}$ or $\frac{5}{5}$)

[51] Six hundreds, twenty four and three tenths = \dots

(246.3 or 624.3 or 264.3)

سلسلة الطيب طيب التعليمية

[52] $\frac{1}{4} + \frac{2}{3} = \dots$

Eng: Asmaa Omar

($\frac{11}{12}$ or $\frac{2}{12}$ or $\frac{3}{12}$ or $\frac{3}{7}$)

[53] $\frac{5}{9} + \frac{1}{3} = \dots$

($\frac{7}{9}$ or $\frac{6}{12}$ or $\frac{8}{9}$ or $\frac{5}{27}$)

[54] $\frac{4}{5} - \frac{1}{20} = \dots$

$(\frac{7}{20} \text{ or } \frac{4}{3} \text{ or } \frac{3}{4} \text{ or } 1\frac{1}{5})$

[55] $\frac{1}{3} + \frac{1}{2} + \frac{1}{4} = \dots$

$(\frac{12}{13} \text{ or } 1\frac{1}{12} \text{ or } 1\frac{1}{3} \text{ or } 1\frac{1}{2})$

[56] 47.47 as an improper fraction = \dots

$(47\frac{100}{47} \text{ or } 47\frac{47}{10} \text{ or } 47\frac{47}{100})$

[57] 7.03 as a mixed number = \dots

$(3\frac{10}{7} \text{ or } 3\frac{7}{10} \text{ or } 7\frac{3}{10})$

Eng: Asmaa Omar
01212644315

[58] $7 + 0.3 + \dots + 0.006 = 7.356$
 (5 or 0.5 or 0.05 or 0.005)

[59] $96.43 \boxed{\dots} 9 \frac{648}{1000}$
 (> or < or =)

[60] The number that is included between 0.73 , 0.744 is -----
 (0.745 or 0.755 or 0.735 or 0.725)

[61] The number 17.92 lies between
 (15,16 or 16,17 or 17,18 or 18,19)

[62] $\frac{4}{10} + 0.6 = \dots$

(0.10 or $\frac{10}{10}$ or 1.64)

Eng: Asmaa omar

01212644315

63 $4 \frac{7}{50} = \dots$

(4.123 or 4.14 or 4.25 or 6.2)

64 The number that included between 0.64 and 0.65 is ---

(0.655 or 0.645 or 0.635 or 0.625)

65 $\dots = 6 + 0.3$

(3.6 or 6.03 or 6.3)

66 $3 \frac{3}{4} + 2 \frac{1}{4} = \dots$

(7 or 6 or 8 or 5)

67 Fifty two tenths is written in digit as ---

(0.52 or 5.2 or 520 or 0.052)

Eng: Asmaa Omar

01212 644315

68] $\frac{1}{2} + \frac{1}{3} + \frac{1}{6} = \dots$

($\frac{3}{11}$ or $\frac{2}{3}$ or 1 or $\frac{5}{6}$)

سلسلة الطيب طيب التعليمية

69] The decimal included between

0.15 and 0.2 is

سلسلة الطيب طيب التعليمية

(0.11 or 0.17 or 0.1 or 0.21)

سلسلة الطيب طيب التعليمية

70] 6 tens , 5 tenths =

(50.6 or 6-50 or 60-5 or 60.05)

سلسلة الطيب طيب التعليمية

71] $\frac{15}{20} = \frac{\dots}{4}$


سلسلة الطيب طيب التعليمية

(3 or 5 or 4 or 6)

Eng : Asmaa Omar
01212644315

72 3 units , 5 thousandths

(3.5 or 3.05 or 3.005 or 5.003)

73 $\frac{7}{20}$  $\frac{17}{20}$

(> or < or =)

74 $\frac{4}{8} - \frac{1}{4} = \dots$

($\frac{3}{4}$ or $\frac{1}{4}$ or $\frac{3}{8}$ or $\frac{5}{8}$)

75 $8 \frac{3}{7} - 3 \frac{1}{2} = \dots$

($5 \frac{1}{14}$ or $4 \frac{13}{14}$ or $5 \frac{1}{7}$)

Eng: Asmaa Omar
01212644315

[76] $9\frac{5}{8} - \frac{3}{4} = \dots$

($9\frac{1}{8}$ or $9\frac{7}{8}$ or $8\frac{7}{8}$)

[77] $9 - \frac{1}{9}$

($7\frac{8}{9}$ or $8\frac{8}{9}$ or $\frac{8}{9}$)

[78] $9\frac{5}{8} + \frac{3}{4} = \dots$

($9\frac{3}{8}$ or $10\frac{8}{8}$ or $10\frac{8}{12}$)

Eng: Asmaa Omar

01212 644315

[79] $g + \frac{1}{g} = \dots$

$(\frac{10}{g} \text{ or } g \cdot g \text{ or } g \frac{1}{g})$

سلسلة الطيب طيب التعليمية

[80] Five hundred twenty five tenths = \dots

$(500.25 \text{ or } 52-5 \text{ or } 520-5)$

سلسلة الطيب طيب التعليمية

Eng: Asmaa Omar

01212644315

سلسلة الطيب طيب التعليمية

Eng: Asmaa Omar دروس مانت

Schooly online

1	One ninth =	A) $\frac{1}{6}$	B) $\frac{1}{7}$	C) $\frac{1}{8}$	D) $\frac{1}{9}$
2	$\frac{8}{40} = \frac{2}{\dots}$	A) 1	B) 3	C) 10	D) 5
3	$\frac{1}{7} < \dots$	A) $\frac{1}{11}$	B) $\frac{1}{8}$	C) $\frac{1}{5}$	D) $\frac{1}{7}$
4	$\frac{3}{8} = \dots$	A) $\frac{1}{8} + \frac{5}{8}$	B) $\frac{16}{20}$	C) $1 - \frac{5}{8}$	D) $1 + \frac{5}{8}$
5	Two Fifths =	A) $\frac{2}{5}$	B) $\frac{2}{7}$	C) $\frac{2}{9}$	D) $\frac{2}{3}$
6	$\frac{9}{27} = \frac{3}{\dots}$	A) 1	B) 3	C) 9	D) 5
7	$\frac{4}{5} - \frac{2}{5} = \dots$	A) $\frac{1}{5}$	B) $\frac{2}{5}$	C) $\frac{3}{5}$	D) $\frac{4}{5}$
8	$\frac{4}{9} = \dots$	A) $\frac{1}{9} + \frac{7}{9}$	B) $\frac{16}{20}$	C) $1 - \frac{5}{9}$	D) $1 + \frac{4}{9}$
9	Two ninths =	A) $\frac{2}{5}$	B) $\frac{2}{7}$	C) $\frac{2}{9}$	D) $\frac{2}{3}$

10	Half = A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{1}{4}$ D) $\frac{1}{5}$
11	$\frac{1}{2} = \frac{6}{\dots\dots}$ A) 6 B) 8 C) 10 D) 12
12	$\frac{1}{5} \dots\dots \frac{1}{4}$ A) < B) > C) = D) otherwise
13	$\frac{3}{9} + \frac{2}{9} = \dots\dots$ A) $\frac{2}{9}$ B) $\frac{4}{9}$ C) $\frac{5}{9}$ D) $\frac{2}{9}$
14	Two thirds = A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{2}{3}$ D) $\frac{1}{5}$
15	$\frac{5}{7} = \frac{15}{\dots\dots}$ A) 14 B) 21 C) 28 D) 35
16	$\frac{1}{6} \dots\dots \frac{1}{5}$ A) < B) > C) = D) otherwise
17	$\frac{2}{9} + \frac{7}{9} = \dots\dots$ A) $\frac{2}{9}$ B) $\frac{4}{9}$ C) $\frac{5}{9}$ D) $\frac{9}{9}$ or 1
18	One fourth = A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{1}{4}$ D) $\frac{1}{5}$
19	$\frac{5}{7} = \frac{25}{\dots\dots}$ A) 14 B) 21 C) 28 D) 35
20	$\frac{1}{3} \dots\dots \frac{1}{5}$ A) < B) > C) = D) otherwise
21	$\frac{2}{7} + \dots\dots = \frac{5}{7}$ A) $\frac{5}{9}$ B) $\frac{3}{7}$ C) $\frac{1}{5}$ D) $\frac{1}{3}$

- 22 Three fourths =
A) $\frac{3}{4}$ B) $\frac{1}{3}$ C) $\frac{1}{4}$ D) $\frac{1}{5}$
- 23 $\frac{3}{4} = \frac{\dots\dots}{12}$
A) 6 B) 9 C) 12 D) 15
- 24 $\frac{6}{9} < \frac{\dots\dots}{9}$
A) 6 B) 7 C) 1 D) 2
- 25 $\frac{1}{3} + \dots\dots = \frac{2}{3}$
A) $\frac{5}{9}$ B) $\frac{3}{7}$ C) $\frac{1}{5}$ D) $\frac{1}{3}$
- 26 One Fifth =
A) $\frac{1}{2}$ B) $\frac{1}{3}$ C) $\frac{1}{4}$ D) $\frac{1}{5}$
- 27 $\frac{3}{4} = \frac{\dots\dots}{20}$
A) 6 B) 9 C) 12 D) 15
- 28 $\frac{8}{13} < \frac{\dots\dots}{13}$
A) 6 B) 7 C) 8 D) 9
- 29 $\frac{3}{7} + \dots\dots = 1$
A) $\frac{7}{9}$ B) $\frac{5}{7}$ C) $\frac{1}{5}$ D) $\frac{1}{3}$
- 30 One seventh =
A) $\frac{1}{6}$ B) $\frac{1}{7}$ C) $\frac{1}{8}$ D) $\frac{1}{9}$
- 31 $\frac{4}{8} = \frac{\dots\dots}{4}$
A) 1 B) 2 C) 4 D) 5
- 32 $\frac{1}{4} < \dots\dots$
A) $\frac{1}{2}$ B) $\frac{1}{4}$ C) $\frac{1}{5}$ D) $\frac{1}{7}$
- 33 $\frac{1}{3} + \dots\dots = 1$
A) $\frac{7}{9}$ B) $\frac{3}{7}$ C) $\frac{1}{5}$ D) $\frac{2}{3}$

- 34 $\frac{2}{7} + \frac{5}{7} = \dots\dots\dots$
A) $\frac{5}{9}$ B) $\frac{7}{9}$ C) 1 D) $\frac{8}{9}$
- 35 $\frac{1}{2} \dots\dots\dots \frac{4}{7}$
A) < B) > C) =
- 36 $4\frac{1}{2} = \dots\dots\dots$ As an improper fraction
A) $\frac{3}{2}$ B) $\frac{5}{2}$ C) $\frac{7}{2}$ D) $\frac{9}{2}$
- 37 $\frac{10}{4} = \dots\dots\dots$ As mixed number
A) $2\frac{1}{2}$ B) $2\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
- 38 $\frac{1}{4} + \frac{3}{4} = \dots\dots\dots$
A) 1 B) $\frac{7}{9}$ C) $\frac{8}{9}$ D) $\frac{8}{9}$
- 39 $\frac{4}{7} \dots\dots\dots \frac{2}{5}$
A) < B) > C) =
- 40 $4\frac{1}{3} = \dots\dots\dots$ As an improper fraction
A) $\frac{4}{3}$ B) $\frac{7}{3}$ C) $\frac{10}{3}$ D) $\frac{13}{3}$
- 41 $\frac{3}{2} = \dots\dots\dots$ As mixed number
A) $1\frac{1}{2}$ B) $2\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
- 42 $\frac{2}{5} + \frac{3}{5} = \dots\dots\dots$
A) $\frac{5}{9}$ B) $\frac{7}{9}$ C) $\frac{8}{9}$ D) 1
- 43 $\frac{2}{5} \dots\dots\dots \frac{3}{4}$
A) < B) > C) =

44	$1\frac{1}{2} =$As an improper fraction A) $\frac{3}{2}$ B) $\frac{5}{2}$ C) $\frac{7}{2}$ D) $\frac{9}{2}$
45	$\frac{17}{5} =$As mixed number A) $4\frac{1}{2}$ B) $5\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
46	$(\frac{4}{9} - \frac{2}{9}) + \frac{3}{9} =$ A) $\frac{5}{9}$ B) $\frac{7}{9}$ C) $\frac{8}{9}$ D) 1
47	$\frac{1}{2}$ $\frac{2}{3}$ A) < B) > C) =
48	$2\frac{1}{2} =$As an improper fraction A) $\frac{3}{2}$ B) $\frac{5}{2}$ C) $\frac{7}{2}$ D) $\frac{9}{2}$
49	$\frac{18}{4} =$As mixed number A) $4\frac{1}{2}$ B) $5\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
50	$\frac{4}{9} + \frac{4}{9} =$ A) $\frac{5}{9}$ B) 1 C) $\frac{8}{9}$ D) $\frac{8}{9}$
51	$\frac{1}{2}$ $\frac{3}{5}$ A) < B) > C) =
52	$3\frac{1}{2} =$As an improper fraction A) $\frac{3}{2}$ B) $\frac{5}{2}$ C) $\frac{7}{2}$ D) $\frac{9}{2}$
53	$\frac{5}{2} =$As mixed number A) $2\frac{1}{2}$ B) $2\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$

54	$3\frac{1}{3} =$As an improper fraction A) $\frac{4}{3}$ B) $\frac{7}{3}$ C) $\frac{10}{3}$ D) $\frac{13}{3}$
55	$\frac{7}{3} =$As mixed number A) $1\frac{1}{2}$ B) $2\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{5}$
56	$2\frac{1}{5} + \frac{2}{5} =$ A) $2\frac{3}{5}$ B) $3\frac{7}{9}$ C) $4\frac{5}{7}$ D) $5\frac{7}{8}$
57	$\frac{4}{7}$ $\frac{2}{3}$ A) < B) > C) =
58	$2\frac{1}{3} =$As an improper fraction A) $\frac{4}{3}$ B) $\frac{7}{3}$ C) $\frac{10}{3}$ D) $\frac{13}{3}$
59	$\frac{7}{4} =$As mixed number A) $1\frac{1}{2}$ B) $2\frac{1}{3}$ C) $3\frac{2}{5}$ D) $1\frac{3}{4}$
60	$2\frac{3}{9} + \frac{4}{9} =$ A) $2\frac{3}{5}$ B) $3\frac{7}{9}$ C) $4\frac{5}{7}$ D) $5\frac{7}{8}$
61	$\frac{2}{3}$ $\frac{3}{5}$ A) < B) > C) =
62	$1\frac{1}{3} =$As an improper fraction A) $\frac{4}{3}$ B) $\frac{7}{3}$ C) $\frac{10}{3}$ D) $\frac{13}{3}$
63	$\frac{17}{5} =$As mixed number A) $1\frac{1}{2}$ B) $2\frac{1}{3}$ C) $3\frac{2}{5}$ D) $4\frac{3}{4}$

64	$\frac{1}{10} = \dots\dots\dots$ A) 0.1 B) 0.2 C) 0.3 D) 0.4
65	$1\frac{1}{10} = \dots\dots\dots$ A) 1.1 B) 0.2 C) 0.3 D) 0.4
66	The value of digit 2 in the number 6.23 = $\dots\dots\dots$ A) 0.2 B) 0.02 C) 0.002 D) 0.0002
67	The Tens digit in 7925.146 is $\dots\dots\dots$ A) 9 B) 2 C) 5 D) 1
68	$7.3 = 0.3 + \dots\dots\dots$ A) 7 B) 0.7 C) 0.07 D) 0.007
69	$\frac{2}{10} = \dots\dots\dots$ A) 0.1 B) 0.2 C) 0.3 D) 0.4
70	$2\frac{2}{10} = \dots\dots\dots$ A) 0.1 B) 2.2 C) 0.3 D) 0.4
71	The value of digit 2 in the number 0.123 = $\dots\dots\dots$ A) 0.2 B) 0.02 C) 0.002 D) 0.0002
72	The Hundreds digit in 7925.146 is $\dots\dots\dots$ A) 9 B) 2 C) 5 D) 1
73	$3.17 = 3 + 0.1 + \dots\dots\dots$ A) 7 B) 0.7 C) 0.07 D) 0.007
74	$\frac{3}{10} = \dots\dots\dots$ A) 0.1 B) 0.2 C) 0.3 D) 0.4
75	$3\frac{3}{10} = \dots\dots\dots$ A) 0.1 B) 0.2 C) 3.3 D) 0.4
76	The value of digit 2 in the number 35.5723 = $\dots\dots\dots$ A) 0.2 B) 0.02 C) 0.002 D) 0.0002

- 77 The thousands digit in 7925.146 is
A) 9 B) 2 C) 5 D) 7
- 78 $3.457 = 3 + 0.4 + 0.05 + \dots$
A) 7 B) 0.7 C) 0.07 D) 0.007
- 79 $\frac{4}{10} = \dots$
A) 0.1 B) 0.2 C) 0.3 D) 0.4
- 80 $4\frac{4}{10} = \dots$
A) 0.1 B) 0.2 C) 0.3 D) 4.4
- 81 The value of digit 2 in the number 9.38923 =
A) 0.2 B) 0.02 C) 0.002 D) 0.0002
- 82 The Tenth digit in 1234.567 is
A) 5 B) 6 C) 7 D) 4
- 83 $25.123 = 25 + \dots$
A) 0.123 B) 0.1 C) 0.02 D) 0.023
- 84 $\frac{5}{100} = \dots$
A) 0.05 B) 0.07 C) 0.08 D) 0.09
- 85 $5\frac{5}{100} = \dots$
A) 5.05 B) 0.07 C) 0.08 D) 0.09
- 86 The value of digit 5 in the number 0.57 =
A) 0.5 B) 0.05 C) 0.005 D) 0.0005
- 87 The Hundredth digit in 1234.567 is
A) 5 B) 6 C) 7 D) 4
- 88 $25.123 = 25 + 0.02 + 0.003 \dots$
A) 0.123 B) 0.1 C) 0.02 D) 0.023
- 89 The Thousandth digit in 1234.567 is
A) 5 B) 6 C) 7 D) 4
- 90 $\frac{7}{100} = \dots$
A) 0.05 B) 0.07 C) 0.08 D) 0.09

91	$6\frac{7}{100} = \dots\dots\dots$ A) 0.05 B) 6.07 C) 0.08 D) 0.09
92	The value of digit 5 in the number 0.75 = $\dots\dots\dots$ A) 0.5 B) 0.05 C) 0.005 D) 0.0005
93	$25.123 = 25 + 0.1 + 0.03 + \dots\dots\dots$ A) 0.123 B) 0.1 C) 0.02 D) 0.023
94	$\frac{8}{100} = \dots\dots\dots$ A) 0.05 B) 0.07 C) 0.08 D) 0.09
95	$7\frac{8}{100} = \dots\dots\dots$ A) 0.05 B) 0.07 C) 7.08 D) 0.09
96	The value of digit 5 in the number 0.975 = $\dots\dots\dots$ A) 0.5 B) 0.05 C) 0.005 D) 0.0005
97	The Units digit in 1234.567 is $\dots\dots\dots$ A) 5 B) 6 C) 7 D) 4
98	$25.123 = 25.1 + \dots\dots\dots$ A) 0.123 B) 0.1 C) 0.02 D) 0.023
99	$\frac{9}{100} = \dots\dots\dots$ A) 0.05 B) 0.07 C) 0.08 D) 0.09
100	$8\frac{9}{100} = \dots\dots\dots$ A) 0.05 B) 0.07 C) 0.08 D) 8.09
101	The value of digit 5 in the number 0.31259 = $\dots\dots\dots$ A) 0.5 B) 0.05 C) 0.005 D) 0.0005
102	The Tens digit in 1234.567 is $\dots\dots\dots$ A) 1 B) 2 C) 3 D) 4
103	$\frac{23}{10} = \dots\dots\dots$ A) 2.3 B) 3.2 C) 5.6 D) 7.1

1 choose the correct answer

1	The value of 7 in the number 12.579 is	(7 , 70 , 0.07 , 700)
2	0.021 is greater than	(0.012 , 0.1 , 0.2 , 0.03)
3	One hundred , fifty eight and seven tenth , is written	(158.7 , 15.87 , 1.587)
4	The digit of tenths in the number 23.69 is	سلسلة الطيب طيب التعليمية (9 , 6 , 3 , 2)
5	$\frac{17}{5} = \dots\dots\dots$	سلسلة الطيب طيب التعليمية ($3\frac{2}{5}$, $2\frac{4}{5}$, $3\frac{1}{4}$, $3\frac{7}{9}$)
6	The number that included between 0.64 and 0.65 is	(0.655 , 0.645 , 0.635 , 0.625)
7	The value of digit 2 in the number 31.253 is	(0.02 , 20 , 0.2 , 2)
8	$3\frac{5}{100} = \dots\dots\dots$	سلسلة الطيب طيب التعليمية (3.5 , 350 , 3500 , 3.05)
9	$96.43 \dots\dots\dots 9\frac{648}{1000}$	(< , > , =)
10	$1\frac{2}{5} \dots\dots\dots 1.40$	(> , < , =)
11	$46.153 = 46 + 0.1 + \dots\dots\dots$	سلسلة الطيب طيب التعليمية (0.53 , 0.053 , 53 , 5.3)
12	$7 + 0.3 + \dots\dots\dots + 0.006 = 7.356$	(5 , 0.5 , 0.05 , 0.005)
13	6 thousandths , 4 hundredths =	(0.46 , 0.046 , 0.64 , 0.0064)
14	Two hundredths =	سلسلة الطيب طيب التعليمية ($\frac{1}{100}$, $\frac{1}{50}$, 200)
15	$\frac{18}{4} = \dots\dots\dots$	($4\frac{1}{2}$, $4\frac{2}{3}$, $4\frac{3}{5}$, $4\frac{2}{5}$)
16	7 units and 5 thousandths =	(7500 , 7.5 , 5.07 , 7.005)
17	$\frac{1}{3} + \frac{2}{3} = \dots\dots\dots$	سلسلة الطيب طيب التعليمية (1 , $\frac{3}{6}$, $\frac{1}{3}$)
18	$0.7 + \dots\dots\dots = 1$	(0.3 , 0.4 , 0.6 , 0.5)
19	215 tenths =	(2150 , 21.5 , 2.15 , 0.215)
20	$5 = \frac{\dots\dots\dots}{5}$	(1 , 5 , 25 , 10)
21	$\frac{54}{90} = \dots\dots\dots$	(0.6 , 0.06 , 6 , 60)
22	$26\frac{7}{25}$ as a decimal number is	(26.25 , 26.28 , 26.4 , 26.04)

23	$\frac{37}{10} \dots\dots 3.9$	(< , > , =)
24	0.018 is less than	(0.051 , 0.014 , 0.009 , 0.011)
25	$\frac{3}{5} \dots\dots \frac{2}{7}$	(> , < , =)
26	$\frac{23}{2} = \dots\dots\dots$	سلسلة الطيب التعليمية 5 , 11.02 , 11.3)
27	The value of the digit 8 in the number 0.085 is	(80 , 800 , 0.8 , 0.08)
28	4.2	سلسلة الطيب طيب التعليمية 4.02 (< , > , =)
29	$0.009 + 7 + 0.4 + 0.03 = \dots\dots\dots$	(0.9743 , 7.943 , 7.439 , 7.934)
30	$1.75 \dots\dots\dots 1\frac{3}{4}$	(> , < , =)
31	$4\frac{7}{50} = \dots\dots\dots$	سلسلة الطيب طيب التعليمية (4.75 , 4.50 , 4.7 , 4.14)
32	45 tenths	45 hundredths (< , > , =)
33	$0.04 + 0.4 = \dots\dots\dots$	(0.44 , 0.08 , 0.008)
34	$\frac{1}{4} + \frac{2}{3} = \dots\dots\dots$	سلسلة الطيب طيب التعليمية ($\frac{11}{12}$, $\frac{2}{12}$, $\frac{3}{12}$, $\frac{3}{7}$)
35	0.1	0.095 (< , > , =)
36	$\frac{11}{2000} = \dots\dots\dots$	سلسلة الطيب طيب التعليمية (0.007 , 0.07 , 0.014)
37	$1\frac{2}{5} \dots\dots\dots 1.40$	(> , < , =)
38	$\frac{1}{5} - \frac{1}{20} = \dots\dots\dots$	($\frac{7}{20}$, $\frac{4}{3}$, $\frac{3}{4}$, $1\frac{1}{5}$)
39	$\frac{3}{4} \dots\dots\dots \frac{5}{9}$	سلسلة الطيب طيب التعليمية (> , < , =)
40	$3 + 0.3 + 0.003 = \dots\dots\dots$	(3.33 , 3.303 , 0.333)
41	The place value of the digit 9 in the number 60.591 is	(tens , tenths , hundredths)
42	$23.9 = 0.9 + 3 + \dots\dots\dots$	(2 , 20 , 200)
43	$45.306 = 45 + 0.3 + \dots\dots\dots$	(0.6 , 6 , 0.06 , 0.006)
44	Fifty six hundredth is written as	(0.56 , 0.65 , 0.056)
45	50 hundredths	5 tenths (< , > , =)

46	$\frac{15}{27} = \dots\dots\dots$ (in the simplest form)
47	$5 = \frac{\dots\dots\dots}{2}$
48	$\frac{2}{3} + \frac{2}{7} = \dots\dots\dots$
49	$\frac{3}{5} + \frac{1}{4} = \dots\dots\dots$
50	$2\frac{3}{4} + 5\frac{1}{4} = \dots\dots\dots$
51	The smallest decimal number which consist of 6 , 5 , 0 , 7 is
52	$5.05 = 5 + \dots\dots\dots$
53	5tens + 5 tenths =
54	$5.097 = \frac{\dots\dots\dots}{\dots\dots\dots}$ (improper fraction)
55	Elven thousandths (in digits)
56	$3 - 1\frac{2}{3} = \dots\dots\dots$
57	$7.2 = 0.2 + \dots\dots\dots$
58	$\frac{7}{9} = \frac{\dots\dots\dots}{36}$
59	$25.961 = \dots\dots\dots + 5 + \dots\dots\dots + 0.06 + \dots\dots\dots$
60	$7.013 = \dots\dots\dots$ (as a mixed number)
61	Five and seven hundredths =
62	$5\frac{1}{2} + 3\frac{1}{5} = \dots\dots\dots$
63	$0.2 + 0.5 + \dots\dots\dots = 1$
64	$5\frac{1}{3}$ as an improper fraction is
65	$7 + 0.4 + 0.009 = \dots\dots\dots$
66	$25.07 = \dots\dots\dots$ (as an improper fraction)
67	Six hundreds thirty one and fifty seven thousandth =
68	$\frac{5}{6} - \frac{1}{3} = \dots\dots\dots$